




Performance Report for: <http://www.almeriatransfers.com/>

Report generated: Sat, Mar 9, 2024 3:54 AM -0800
 Test Server Location: London, UK
 Using: Chrome 117.0.0.0, Lighthouse 11.0.0



Top Issues

Med	Use explicit width and height on image elements <small>CLS</small>	2 images found
Med	Use a Content Delivery Network (CDN)	67 resources found
Med-Low	Serve static assets with an efficient cache policy	Potential savings of 217KB
Med-Low	Avoid an excessive DOM size <small>TBT</small>	1,156 elements
Low	Avoid enormous network payloads <small>LCP</small>	Total size was 2.68MB

Page Details



Total Page Size - 2.67MB



Total Page Requests - 82



■ HTML
 ■ JS
 ■ CSS
 ■ IMG
 ■ Video
 ■ Font
 ■ Other

How does this affect me?

Today's web user expects a fast and seamless website experience. Delivering that fast experience can result in increased visits, conversions and overall happiness.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

About GTmetrix


CARBON60
THE MANAGED CLOUD COMPANY

GTmetrix is developed by the good folks at **Carbon60**, a Canadian hosting company with over 28 years experience in web technology.


<https://carbon60.com/>

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

Inicio - Traslados Low Cost Almería y Aeropuerto. ... Transporte - Alquiler de Coches con Conductor VTC



bg-main.svg	200	almeriatransfers.com	375B	133ms		
search-w.svg	200	almeriatransfers.com	491B	167ms		
iJWKBXyIfDnIV7nBrXw.w...	200	fonts.gstatic.com	34.6KB	185ms		
fa-brands-400.woff2	200	use.fontawesome.com	115KB	288ms		
fa-solid-900.woff2	200	use.fontawesome.com	153KB	371ms		
pxiByp8kv8JHgFVrLDD4Z...	200	fonts.gstatic.com	7.64KB	179ms		
pxiByp8kv8JHgFVrLDz8Z...	200	fonts.gstatic.com	7.66KB	181ms		
pxiByp8kv8JHgFVrLCz7Z...	200	fonts.gstatic.com	7.63KB	180ms		
vc_entypo.woff	200	almeriatransfers.com	44.1KB	204ms		
ionicons.ttf?v=2.0.0	200	almeriatransfers.com	184KB	234ms		
iJWEBXyIfDnIV7nEnX661...	200	fonts.gstatic.com	35.6KB	188ms		
wp-emoji-release.min.js?...	200	almeriatransfers.com	4.68KB		43ms	
help.svg	200	almeriatransfers.com	224B		50ms	
hide-help.svg	200	almeriatransfers.com	1.74KB		48ms	
scroll-down.svg	200	almeriatransfers.com	456B		47ms	
scroll-up.svg	200	almeriatransfers.com	458B		49ms	
go-to-top.svg	200	almeriatransfers.com	316B		54ms	
go-to-bottom.svg	200	almeriatransfers.com	513B		49ms	
tab.svg	200	almeriatransfers.com	237B		51ms	
tab-back.svg	200	almeriatransfers.com	239B		56ms	
show-numbers.svg	200	almeriatransfers.com	288B		55ms	
number.svg	200	almeriatransfers.com	312B		72ms	
hide-numbers.svg	200	almeriatransfers.com	403B		53ms	
clear-input.svg	200	almeriatransfers.com	339B		54ms	
enter.svg	200	almeriatransfers.com	224B		50ms	
reload.svg	200	almeriatransfers.com	283B		51ms	
stop.svg	200	almeriatransfers.com	194B		72ms	
exit.svg	200	almeriatransfers.com	218B		60ms	
taxiicono.ico	200	almeriatransfers.com	1.81KB			41ms
82 Requests	2.67MB (5.32MB Uncompressed)	Fully Loaded 2.5s (Onload 2.4s)				



Performance Metrics

<p>First Contentful Paint</p> <p>How quickly content like text or images are painted onto your page. A good user experience is 0.9s or less.</p>	<p>Much longer than recommended</p> <p>1.8s</p>	<p>Time to Interactive</p> <p>How long it takes for your page to become fully interactive. A good user experience is 2.5s or less.</p>	<p>Good - Nothing to do here</p> <p>2.2s</p>
<p>Speed Index</p> <p>How quickly the contents of your page are visibly populated. A good user experience is 1.3s or less.</p>	<p>Much longer than recommended</p> <p>2.8s</p>	<p>Total Blocking Time</p> <p>How much time is blocked by scripts during your page loading process. A good user experience is 150ms or less.</p>	<p>Good - Nothing to do here</p> <p>27ms</p>
<p>Largest Contentful Paint</p> <p>How long it takes for the largest element of content (e.g. a hero image) to be painted on your page. A good user experience is 1.2s or less.</p>	<p>Longer than recommended</p> <p>2.0s</p>	<p>Cumulative Layout Shift</p> <p>How much your page's layout shifts as it loads. A good user experience is a score of 0.1 or less.</p>	<p>Good - Nothing to do here</p> <p>0</p>

Browser Timings

Redirect	961ms	Connect	223ms	Backend	61ms
TTFB	1.2s	First Paint	1.8s	DOM Int.	2.2s
DOM Loaded	2.2s	Onload	2.4s	Fully Loaded	2.5s

IMPACT AUDIT

Low Use passive listeners to improve scrolling performance 1 event listener not passive

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance.

URL	LOCATION
<ul style="list-style-type: none"> https://www.almeriatransfers.com/wp-includes/js/jquery/jquery.min.js 	Line:1

Low Allow back/forward cache restoration 1 failure reason

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations.

FAILURE REASON	FAILURE TYPE
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. https://www.almeriatransfers.com/	Circumstantial

Low Eliminate render-blocking resources FCP LCP Potential savings of 110ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles.

Resources that **may** be contributing to render-blocking include:

URL	TRANSFER SIZE	DOWNLOAD TIME
https://fonts.googleapis.com/css?family=Rubik%3A300%2C300italic%2Cregular%2Citalic%2C500%2C500italic%2C700%2C700italic%2C900%2C900italic%7CPoppins%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2Cregular%2Citalic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic&subset=latin-ext%2Chebrew%2Clatin%2Ccyrillic%2Cdevanagari&ver=6.3.3	2.06KB	793ms
https://www.almeriatransfers.com/wp-content/themes/glb/assets/css/components.css	16.9KB	355ms
https://www.almeriatransfers.com/wp-content/themes/glb/assets/css/style.css	52.5KB	889ms
https://www.almeriatransfers.com/wp-includes/css/dist/block-library/style.min.css	12.5KB	178ms
https://www.almeriatransfers.com/wp-content/plugins/readabler/css/readabler.min.css	8.91KB	178ms
https://use.fontawesome.com/releases/v6.5.1/css/all.css	23.1KB	1.2s
https://www.almeriatransfers.com/wp-content/plugins/js_composer/assets/css/js_composer.min.css	38.4KB	533ms
https://www.almeriatransfers.com/wp-includes/js/jquery/jquery.min.js	29.1KB	355ms

Low Properly size images Potential savings of 953KB

Serve images that are appropriately-sized to save cellular data and improve load time.

URL	RESOURCE SIZE	POTENTIAL SAVINGS
https://www.almeriatransfers.com/wp-content/uploads/2023/02/Logo-Almeria-Transfers_5.png	750KB	739KB
https://www.almeriatransfers.com/wp-content/uploads/2023/02/Imagen-de-WhatsApp-2023-02-23-a-las-12.35.59.jpg	108KB	107KB
https://www.almeriatransfers.com/wp-content/uploads/2023/02/Imagen-de-WhatsApp-2023-02-23-a-las-12.35.59-1.jpg	108KB	107KB

Low Avoid chaining critical requests FCP LCP 39 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Maximum critical path latency: 2.0s

INITIAL NAVIGATION



- <https://fonts.googleapis.com/css?family=Rubik%3A300%2C300italic%2Cregular%2Citalic%2C500%2C500italic%2C700%2C700italic%2C900%2C900italic%7CPoppins%3A100%2C100italic%2C200%2C200ext%2CHebrew%2Clatin%2Ccyrillic%2Cdevanagari&ver=6.3.3> 2.06KB, 78ms
- <https://fonts.gstatic.com/s/rubik/v28/iJWKBXyIfDnIV7nBrXw.woff2> 34.8KB, 60ms
- <https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDz8Z1xIFQ.woff2> 7.77KB, 30ms
- <https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDD4Z1xIFQ.woff2> 8.16KB, 28ms
- <https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLcz7Z1xIFQ.woff2> 7.75KB, 29ms
- <https://fonts.gstatic.com/s/rubik/v28/iJWEBXyIfDnIV7nEnX661A.woff2> 35.7KB, 21ms

Low **Ensure text remains visible during webfont load** FCP LCP 7 fonts found

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

URL	POTENTIAL SAVINGS
https://fonts.gstatic.com/s/rubik/v28/iJWKBXyIfDnIV7nBrXw.woff2	60ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDD4Z1xIFQ.woff2	28ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDz8Z1xIFQ.woff2	30ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLcz7Z1xIFQ.woff2	29ms
https://www.almeriatransfers.com/wp-content/plugins/js_composer/assets/css/lib/vc-entypo/fonts/vc_entypo.woff	53ms
https://www.almeriatransfers.com/wp-content/themes/glb/assets/fonts/ionicons.ttf?v=2.0.0	83ms
https://fonts.gstatic.com/s/rubik/v28/iJWEBXyIfDnIV7nEnX661A.woff2	21ms

Low **Avoid long main-thread tasks** TBT 3 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

URL	START TIME	DURATION
https://www.almeriatransfers.com/	1.6s	128ms
https://www.almeriatransfers.com/wp-content/plugins/revslider/public/assets/js/rs6.min.js	2.2s	71ms
https://www.almeriatransfers.com/wp-content/themes/glb/assets/js/components.js	1.9s	55ms

Low **Avoid multiple page redirects** FCP LCP Potential savings of 961ms

Redirects introduce additional delays before the page can be loaded.

URL	TIME SPENT
http://www.almeriatransfers.com/	961ms
https://www.almeriatransfers.com/	0ms

Low **Efficiently encode images** Potential savings of 38.4KB

Optimized images load faster and consume less cellular data.

URL	RESOURCE SIZE	POTENTIAL SAVINGS
https://www.almeriatransfers.com/wp-content/uploads/2023/02/logos-footer-v2-1280x197-1.jpg	71.0KB	38.4KB

Low

Reduce JavaScript execution time TBT

179ms spent executing JavaScript

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this.

URL	TOTAL CPU TIME	SCRIPT EVALUATION	SCRIPT PARSE
• Unattributable	407ms	0ms	0ms
• https://www.almeriatransfers.com/	360ms	38ms	3ms
• https://www.almeriatransfers.com/wp-content/plugins/revslider/public/assets/js/rbtools.min.js	89ms	18ms	2ms
• https://www.almeriatransfers.com/wp-includes/js/jquery/jquery.min.js	71ms	58ms	1ms
• https://www.almeriatransfers.com/wp-content/themes/glb/assets/js/components.js	56ms	19ms	36ms

Low

Reduce unused CSS FCP LCP

Potential savings of 148KB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity.

URL	TRANSFER SIZE	POTENTIAL SAVINGS
• https://www.almeriatransfers.com/wp-content/themes/glb/assets/css/style.css	52.5KB	45.9KB
• https://www.almeriatransfers.com/wp-content/plugins/js_composer/assets/css/js_composer.min.css	38.4KB	38.1KB
• https://use.fontawesome.com/releases/v6.5.1/css/all.css	23.1KB	22.9KB
• https://www.almeriatransfers.com/wp-content/themes/glb/assets/css/components.css	16.9KB	16.6KB
• https://www.almeriatransfers.com/wp-includes/css/dist/block-library/style.min.css	12.5KB	12.5KB
• https://www.almeriatransfers.com/wp-content/plugins/revslider/public/assets/css/rs6.css	11.8KB	11.8KB

Low

Serve images in next-gen formats

Potential savings of 0.99MB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption.

URL	RESOURCE SIZE	POTENTIAL SAVINGS
https://www.almeriatransfers.com/wp-content/uploads/2023/02/Logo-Almeria-Transfers_5.png	750KB	670KB
https://www.almeriatransfers.com/wp-content/uploads/2023/02/Imagen-de-WhatsApp-2023-02-23-a-las-12.35.59.jpg	108KB	65.4KB
https://www.almeriatransfers.com/wp-content/uploads/2023/02/Imagen-de-WhatsApp-2023-02-23-a-las-12.35.59-1.jpg	108KB	65.4KB
https://www.almeriatransfers.com/wp-content/uploads/2023/02/logos-footer-v2-1280x197-1.jpg	71.0KB	56.4KB
https://www.almeriatransfers.com/wp-content/uploads//2017/09/cp.png?id=117	89.5KB	42.5KB
https://www.almeriatransfers.com/wp-content/uploads/2024/01/ALMERIATRANSFERS-traslados-conconductor.jpg	82.9KB	39.4KB
https://www.almeriatransfers.com/wp-content/uploads//2017/09/aw.png?id=118	78.1KB	28.7KB
https://www.almeriatransfers.com/wp-content/uploads//2017/09/pp.png?id=116	50.3KB	22.2KB
https://www.almeriatransfers.com/wp-content/uploads//2017/09/bg-about_03.png?id=434	81.2KB	11.9KB
https://www.almeriatransfers.com/wp-content/uploads/2017/09/bg-about_03.png	81.2KB	11.9KB

Low

Minify CSS FCP LCP

Potential savings of 11.3KB

Minifying CSS files can reduce network payload sizes.

URL	TRANSFER SIZE	POTENTIAL SAVINGS
• https://www.almeriatransfers.com/wp-content/themes/glb/assets/css/style.css	52.5KB	7.60KB
• https://www.almeriatransfers.com/wp-content/themes/glb/assets/css/components.css	16.9KB	3.71KB

Low

Minify JavaScript FCP LCP

Potential savings of 34.7KB

Minifying JavaScript files can reduce payload sizes and script parse time.

URL	TRANSFER SIZE	POTENTIAL SAVINGS
• https://www.almeriatransfers.com/wp-content/themes/glb/assets/js/components.js	72.8KB	32.0KB
• https://www.almeriatransfers.com/wp-content/plugins/wp-video-lightbox/js/jquery.prettyPhoto.js	8.81KB	2.73KB

Low **Reduce unused JavaScript** LCP Potential savings of 220KB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.

URL	TRANSFER SIZE	POTENTIAL SAVINGS
https://www.almeriatransfers.com/wp-content/plugins/revslider/public/assets/js/rs6.min.js	97.2KB	94.7KB
https://www.almeriatransfers.com/wp-content/themes/glb/assets/js/components.js	72.8KB	57.2KB
https://www.almeriatransfers.com/wp-content/plugins/revslider/public/assets/js/rbtools.min.js	58.1KB	40.6KB
https://www.almeriatransfers.com/wp-content/plugins/readabler/js/readabler.min.js	33.2KB	27.4KB

N/A **Largest Contentful Paint element** LCP 2,010 ms

This is the largest contentful element painted within the viewport.

ELEMENT

INICIO SOBRE NOSOTROS SERVICIOS RESERVAR AHORA REDES SOCIALES CONTACT...
<div id="site" class="site wrap header-position-top">

PHASE	% OF LCP	TIMING
TTFB	62%	1.2s
Load Delay	15%	307ms
Load Time	6%	125ms
Render Delay	16%	327ms

N/A **Reduce initial server response time** FCP LCP Root document took 60ms

Keep the server response time for the main document short because all other requests depend on it.

URL	TIME SPENT
• https://www.almeriatransfers.com/	60ms

N/A **Avoid serving legacy JavaScript to modern browsers** TBT Potential savings of 11.5KB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers.

URL	POTENTIAL SAVINGS
https://www.almeriatransfers.com/wp-content/plugins/readabler/js/simple-keyboard.min.js	11.4KB
Line:11 Column:26099	<code>Array.prototype.filter</code>
Line:11 Column:26278	<code>Array.from</code>
Line:11 Column:27621	<code>Array.prototype.map</code>
Line:11 Column:31725	<code>Number.isInteger</code>
Line:11 Column:32413	<code>Object.getOwnPropertyDescriptors</code>
Line:11 Column:32818	<code>Object.keys</code>
Line:11 Column:48630	<code>@babel/plugin-transform-classes</code>
https://www.almeriatransfers.com/wp-content/plugins/readabler/js/readabler.min.js	38B
Line:1 Column:30495	<code>@babel/plugin-transform-classes</code>

N/A **Avoid large layout shifts** CLS 1 element found

These DOM elements contribute most to the CLS of the page.

ELEMENT	CLS CONTRIBUTION
INICIO SOBRE NOSOTROS SERVICIOS RESERVAR AHORA REDES SOCIALES CONTACT... <code><nav class="navigator" itemscope="itemscope" itemtype="http://schema.org/SiteNavigationElement"></code>	0.00

N/A **Minimize main-thread work** TBT Main-thread busy for 1.2s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this.

CATEGORY	TIME SPENT
Other	514ms
Script Evaluation	259ms
Style & Layout	256ms
Parse HTML & CSS	63ms
Script Parsing & Compilation	59ms
Rendering	27ms

N/A **Reduce the impact of third-party code** TBT Total size was 392KB

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading.

THIRD-PARTY**TRANSFER SIZE****MAIN-THREAD BLOCKING TIME****FONTAWESOME CDN**

- <https://use.fontawesome.com/releases/v6.5.1/webfonts/fa-solid-900.woff2>
- <https://use.fontawesome.com/releases/v6.5.1/webfonts/fa-brands-400.woff2>
- <https://use.fontawesome.com/releases/v6.5.1/css/all.css>

296KB

0ms

153KB

0ms

115KB

0ms

23.1KB

0ms

GOOGLE FONTS

- <https://fonts.gstatic.com/s/rubik/v28/iJWEBXyIfDnIV7nEnX661A.woff2>
- <https://fonts.gstatic.com/s/rubik/v28/iJWKBXyIfDnIV7nBrXw.woff2>
- <https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDD4Z1xIFQ.woff2>
- <https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDz8Z1xIFQ.woff2>
- <https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLCz7Z1xIFQ.woff2>

96.2KB

0ms

35.7KB

0ms

34.8KB

0ms

8.16KB

0ms

7.77KB

0ms

7.75KB

0ms

N/A

User Timing marks and measures

No user timings and/or marks found.