Executive Summary



Performance Report for:

http://www.chauffeurforce.co.uk/

Report generated: Sun, Mar 10, 2024 11:20 AM -0700

Test Server Location: London, UK

Using: O Chrome 117.0.0.0, Lighthouse 11.0.0

B

Performance 83%

Structure

98%

L. Contentful Paint

2.0s

T. Blocking Time

74ms

C. Layout Shift


U

Top Issues


Med-Low	Avoid an excessive DOM size TBT	1,409 elements
Low	Avoid chaining critical requests FCP LCP	8 chains found
Low	Avoid long main-thread tasks TBT	4 long tasks found
Low	Avoid enormous network payloads LCP	Total size was 586KB
Low	Avoid multiple page redirects FCP LCP	Potential savings of 1.1s

Page Details

7.8s



Total Page Requests - 18



HTML JS CSS IMG Video Font Othe

How does this affect me?

Today's web user expects a fast and seamless website experience. Delivering that fast experience can result in increased visits, conversions and overall happiness.

As if you didn't need more incentive, Google has announced that they are using page speed in their ranking algorithm.

About GTmetrix



GTmetrix is developed by the good folks at **Carbon60**, a Canadian hosting company with over 28 years experience in web technology.

https://carbon60.com/






The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

1	301	chauffeurforce.co.uk	0	1.1s		
I	200	chauffeurforce.co.uk	69.3KB	300ms		
xvggPvwhQepqCEgSYLR	200	nitroscripts.com	13.7KB	207ms		
JTUSjlg1_i6t8kCHKm459	200	fonts.gstatic.com	32.4KB	173ms		
e3dd529cc8475086f8b8e0	200	cdn-ikpgpcf.nitrocdn	252KB	232ms		
chauffeurforce-chauffeur	200	cdn-ikpgpcf.nitrocdn	6.70KB	45ms		
shutterstock_2013279467	200	cdn-ikpgpcf.nitrocdn	166KB	50ms		
cropped-chauffeurforce-c	200	cdn-ikpgpcf.nitrocdn	724B	49ms		
nitro-min-noimport-101f2	200	cdn-ikpgpcf.nitrocdn	0	7ms		
nitro-min-noimport-ef3e9	200	cdn-ikpgpcf.nitrocdn	0	45ms		
nitro-min-noimport-9fefe2	200	cdn-ikpgpcf.nitrocdn	0	309ms		
nitro-min-noimport-e3c28	200	cdn-ikpgpcf.nitrocdn	0	35ms		
nitro-min-noimport-fc439	200	cdn-ikpgpcf.nitrocdn	0	217ms		
nitro-min-noimport-6847c	200	cdn-ikpgpcf.nitrocdn	0	212ms		
1Ptug8zYS_SKggPNyC0I	200	fonts.gstatic.com	42.4KB	64r	ns	
POST dropoff	200	to.getnitropack.com	182B		51ms	
POST /	200	to.getnitropack.com	72B		44ms	
POST /	200	to.getnitropack.com	96B		-	28ms





Performance Metrics			
First Contentful Paint How quickly content like text or images are painted onto your page. A good user experience is 0.9s or less.	Longer than recommended	Time to Interactive How long it takes for your page to become fully interactive. A good user experience is 2.5s or less.	OK, but consider improvement 2.5s
Speed Index How quickly the contents of your page are visibly populated. A good user experience is 1.3s or less.	Longer than recommended	Total Blocking Time How much time is blocked by scripts during your page loading process. A good user experience is 150ms or less.	Good - Nothing to do here
Largest Contentful Paint How long it takes for the largest element of content (e.g. a hero image) to be painted on your page. A good user experience is 1.2s or less.	Longer than recommended 2.0s	Cumulative Layout Shift How much your page's layout shifts as it loads. A good user experience is a score of 0.1 or less.	Good - Nothing to do here

Browser Timings

Redirect	1.1s	Connect	146ms	Backend	68ms
TTFB	1.3s	First Paint	1.5s	DOM Int.	1.8s
DOM Loaded	1.8s	Onload	1.8s	Fully Loaded	7.8s



Structure Audits

IMPACT

AUDIT

Low

Reduce JavaScript execution time TBT

245ms spent executing JavaScript

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this.

URL	TOTAL CPU TIME	SCRIPT EVALUATION	SCRIPT PARSE
https://www.chauffeurforce.co.uk/	741ms	170ms	8ms
Unattributable	298ms	26ms	0ms
 https://nitroscripts.com/xvggPvwhQepqCEgSYLRslvNCJvtrQTwA 	61ms	38ms	1ms
 https://cdn-ikpgpcf.nitrocdn.com/xvggPvwhQepqCEgSYLRslvNCJvtrQTwA/assets/static/optimized/rev-392ca0 e/www.chauffeurforce.co.uk/combinedCss/nitro-min-noimport-9fefe224ad7e547f9b9f6663f0a25d04-styleshee t.css 	50ms	0ms	0ms

N/A

Largest Contentful Paint element LCP

1,960 ms

This is the largest contentful element painted within the viewport.

ELEMENT

BEGIN YOUR JOURNEY IN STYLE

<div data-id="07d256d" data-element_type="container" data-settings="
{"background_background":"classic","content_width":"boxed"}" data-core-v316-plus="true" class="elementor-element elementor-element-07d256d e-flex e-con-boxed wpr-particl...">

PHASE	% OF LCP	TIMING
TTFB	65%	1.3s
Load Delay	15%	299ms
Load Time	3%	49ms
Render Delay	17%	342ms

N/A

Reduce initial server response time FCP LCP

Root document took 67ms

Keep the server response time for the main document short because all other requests depend on it.

URL TIME SPENT

• https://www.chauffeurforce.co.uk/ 67ms

N/A

Avoid large layout shifts CLS

5 elements found

These DOM elements contribute most to the CLS of the page.

ELEMENT	CLS CONTRIBUTION
BEGIN YOUR JOURNEY IN STYLE <hl class="elementor-heading-title elementor-size-default"></hl>	0.00
<pre>Who We Are <h2 class="elementor-heading-title elementor-size-default"></h2></pre>	0.00
<pre>Profile </pre>	0.00
<pre>Book Now </pre>	0.00
About Us 	0.00

N/A Minimize main-thread work TBT Main-thread busy for 1.2s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this.

CATEGORY	TIME SPENT
Style & Layout	418ms
Other	375ms
Script Evaluation	236ms
Parse HTML & CSS	91ms
Rendering	55ms
Script Parsing & Compilation	10ms

N/A Reduce the impact of third-party code TBT Total size was 515KB

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading.

THIRD-PARTY	TRANSFER SIZE	MAIN-THREAD BLOCKING TIME
NITROCDN.COM	426KB	0ms
 https://cdn-ikpgpcf.nitrocdn.com/xvggPvwhQepqCEgSYLRslvNCJvtrQTwA/assets/static/source/rev-39 2ca0e/www.chauffeurforce.co.uk/wp-content/plugins/elementskit-lite/modules/elementskit-icon-pack/a ssets/fonts/e3dd529cc8475086f8b8e04e16a17042.elementskit.woff 	252KB	0ms
 https://cdn-ikpgpcf.nitrocdn.com/xvggPvwhQepqCEgSYLRslvNCJvtrQTwA/assets/images/optimized/rev-3c0e73d/www.chauffeurforce.co.uk/wp-content/uploads/2023/12/shutterstock 2013279467-scaled_1_webp_ 	166KB	0ms
GOOGLE FONTS	75.5KB	0ms
• https://fonts.gstatic.com/s/raleway/v29/1Ptug8zYS_SKggPNyC0IT4ttDfA.woff2	42.6KB	0ms
https://fonts.gstatic.com/s/montserrat/v26/JTUSjlg1_i6t8kCHKm459WlhyyTh89Y.woff2	32.9KB	0ms
NITROSCRIPTS.COM	13.7KB	0ms
https://nitroscripts.com/xvggPvwhQepqCEgSYLRslvNCJvtrQTwA	13.7KB	0ms
GETNITROPACK.COM	350B	0ms
N/A Eliminate render-blocking resources FCP LCP		

Nothing to do here, good job!

N/A Avoid serving legacy JavaScript to modern browsers TBT

Nothing to do here, good job!

N/A

User Timing marks and measures

No user timings and/or marks found.