



# Performance Report for: <https://www.csgenetics.com/>

Report generated: Wed, Mar 13, 2024 7:36 AM -0700  
 Test Server Location: London, UK  
 Using: Chrome 117.0.0.0, Lighthouse 11.0.0

	Performance	Structure	L. Contentful Paint	T. Blocking Time	C. Layout Shift
	69%	84%	3.4s	88ms	0

## Top Issues

High	Eliminate render-blocking resources <small>FCP LCP</small>	Potential savings of 3.6s
Med	Serve static assets with an efficient cache policy	Potential savings of 1.03MB
Med	Use a Content Delivery Network (CDN)	57 resources found
Med-Low	Use HTTP/2 for all resources	Potential savings of 1.4s
Low	Reduce unused CSS <small>FCP LCP</small>	Potential savings of 352KB

## Page Details



### Total Page Size - 1.09MB



### Total Page Requests - 63



■ HTML 
 ■ JS 
 ■ CSS 
 ■ IMG 
 ■ Video 
 ■ Font 
 ■ Other

## How does this affect me?

Today's web user expects a fast and seamless website experience. Delivering that fast experience can result in increased visits, conversions and overall happiness.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

## About GTmetrix




GTmetrix is developed by the good folks at **Carbon60**, a Canadian hosting company with over 28 years experience in web technology.

<https://carbon60.com/>


The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

csgenetics – Single-cell genomics made simple.



waypoints.min.js?ver=4.0.2	200	csgenetics.com	3.25KB		902ms			
core.min.js?ver=1.13.2	200	csgenetics.com	7.26KB		909ms			
frontend.min.js?ver=3.16.5	200	csgenetics.com	12.3KB		911ms			
elements-handlers.min.js...	200	csgenetics.com	8.66KB		914ms			
home_image_3840x2160_...	200	csgenetics.com	183KB		255ms			
fontello.woff2?99525028	200	csgenetics.com	112KB		239ms			
wlpwgwvFAVdoq2_v-6QU...	200	fonts.gstatic.com	38.9KB		125ms			
wp-emoji-release.min.js?...	200	csgenetics.com	5.25KB		81ms			
text-editor.2c35aafbe5bf0...	200	csgenetics.com	999B		80ms			
favicon-csgenetics.png	200	csgenetics.com	999B		81ms			

**63 Requests    1.09MB (5.58MB Uncompressed)    Fully Loaded 3.4s (Onload 2.2s)**



### Performance Metrics

<p><b>First Contentful Paint</b></p> <p>How quickly content like text or images are painted onto your page. A good user experience is 0.9s or less.</p>	<p>Longer than recommended</p> <p><b>1.6s</b></p>	<p><b>Time to Interactive</b></p> <p>How long it takes for your page to become fully interactive. A good user experience is 2.5s or less.</p>	<p>Good - Nothing to do here</p> <p><b>2.4s</b></p>
<p><b>Speed Index</b></p> <p>How quickly the contents of your page are visibly populated. A good user experience is 1.3s or less.</p>	<p>Much longer than recommended</p> <p><b>2.8s</b></p>	<p><b>Total Blocking Time</b></p> <p>How much time is blocked by scripts during your page loading process. A good user experience is 150ms or less.</p>	<p>Good - Nothing to do here</p> <p><b>88ms</b></p>
<p><b>Largest Contentful Paint</b></p> <p>How long it takes for the largest element of content (e.g. a hero image) to be painted on your page. A good user experience is 1.2s or less.</p>	<p>Much longer than recommended</p> <p><b>3.4s</b></p>	<p><b>Cumulative Layout Shift</b></p> <p>How much your page's layout shifts as it loads. A good user experience is a score of 0.1 or less.</p>	<p>Good - Nothing to do here</p> <p><b>0</b></p>

### Browser Timings

Redirect	0ms	Connect	187ms	Backend	414ms
TTFB	601ms	First Paint	1.6s	DOM Int.	1.7s
DOM Loaded	1.9s	Onload	2.2s	Fully Loaded	3.4s

IMPACT AUDIT

Low

Ensure text remains visible during webfont load FCP LCP

2 fonts found

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

URL

POTENTIAL SAVINGS

- <https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/font-icons/font/fontello.woff2?99525028> 166ms
- [https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2\\_v-6QU.woff2](https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2_v-6QU.woff2) 52ms

Low

Avoid long main-thread tasks TBT

4 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

URL

START TIME

DURATION

- | URL   | START TIME | DURATION |
|---|------------|----------|
| <a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js">https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js</a> | 2.3s       | 117ms    |
| <a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js">https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js</a> | 1.5s       | 81ms     |
| <a href="https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0">https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0</a>                         | 2.0s       | 63ms     |
| <a href="https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0">https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0</a>                         | 2.0s       | 57ms     |

Low


Avoid chaining critical requests FCP LCP

43 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Maximum critical path latency: 1.7s

INITIAL NAVIGATION



- [https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/\\_responsive.css](https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/_responsive.css) 76.4KB, 677ms
- <https://www.csgenetics.com/wp-content/plugins/elementor/assets/lib/swiper/css/swiper.min.css?ver=5.3.6> 2.67KB, 315ms
- [https://www.csgenetics.com/wp-content/plugins/trx\\_addons/js/tweenmax/tweenmax.min.js](https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js) 27.5KB, 83ms
- <https://www.csgenetics.com/wp-content/uploads/elementor/css/custom-frontend.min.css?ver=1699874662> 19.8KB, 400ms
- <https://www.csgenetics.com/wp-includes/js/dist/hooks.min.js?ver=c6aec9a8d4e5a5d543a1> 1.86KB, 79ms
- <https://www.csgenetics.com/wp-content/plugins/elementor/assets/js/webpack.runtime.min.js?ver=3.16.5> 2.49KB, 82ms
- <https://www.csgenetics.com/wp-includes/js/mediaelement/wp-mediaelement.min.css?ver=6.3.3> 1.44KB, 505ms
- <https://www.csgenetics.com/wp-includes/js/jquery/ui/core.min.js?ver=1.13.2> 7.26KB, 86ms
- [https://www.csgenetics.com/wp-content/plugins/devvn-image-hotspot/frontend/css/maps\\_points.css?ver=1.2.2](https://www.csgenetics.com/wp-content/plugins/devvn-image-hotspot/frontend/css/maps_points.css?ver=1.2.2) 1.76KB, 242ms
- <https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0> 30.0KB, 584ms
- <https://www.csgenetics.com/wp-content/plugins/elementor-pro/assets/js/frontend.min.js?ver=3.16.2> 6.79KB, 91ms
- [https://www.csgenetics.com/wp-content/plugins/trx\\_addons/addons/qw-extension/css/font-icons/css/qw\\_extension\\_icons.css](https://www.csgenetics.com/wp-content/plugins/trx_addons/addons/qw-extension/css/font-icons/css/qw_extension_icons.css) 1.19KB, 215ms
- <https://www.csgenetics.com/wp-includes/js/dist/vendor/wp-polyfill.min.js?ver=3.15.0> 6.08KB, 87ms
- <https://www.csgenetics.com/wp-content/plugins/elementor-pro/assets/js/webpack-pro.runtime.min.js?ver=3.16.2> 2.87KB, 78ms
- <https://www.csgenetics.com/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js?ver=3.1.2> 2.75KB, 87ms
- <https://www.csgenetics.com/wp-includes/css/dist/block-library/style.min.css?ver=6.3.3> 13.8KB, 313ms
- <https://www.csgenetics.com/wp-content/plugins/elementor/assets/js/frontend-modules.min.js?ver=3.16.5> 16.6KB, 88ms
- <https://www.csgenetics.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=3.4.1> 5.08KB, 633ms
- <https://www.csgenetics.com/wp-includes/js/dist/i18n.min.js?ver=7701b0c3857f914212ef> 3.93KB, 80ms
- [https://www.csgenetics.com/wp-content/plugins/trx\\_addons/css/font-icons/css/trx\\_addons\\_icons.css](https://www.csgenetics.com/wp-content/plugins/trx_addons/css/font-icons/css/trx_addons_icons.css) 4.73KB, 137ms
- [https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/\\_custom.css](https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/_custom.css) 5.73KB, 562ms
- <https://www.csgenetics.com/wp-content/plugins/wp-gdpr-compliance/Assets/css/front.css?ver=1695224897> 4.52KB, 449ms
- <https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/style.css> 66.4KB, 625ms
- [https://www.csgenetics.com/wp-content/plugins/devvn-image-hotspot/frontend/css/jquery\\_powertip.min.css?ver=1.2.0](https://www.csgenetics.com/wp-content/plugins/devvn-image-hotspot/frontend/css/jquery_powertip.min.css?ver=1.2.0) 742B, 236ms
- <https://www.csgenetics.com/wp-content/plugins/elementor/assets/js/frontend.min.js?ver=3.16.5> 12.3KB, 87ms
- <https://www.csgenetics.com/wp-content/plugins/elementor/assets/lib/animations/animations.min.css?ver=3.16.5> 2.84KB, 466ms
- <https://fonts.googleapis.com/css?family=Roboto%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic> 2.02KB, 61ms
- [https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2\\_v-6QU.woff2](https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2_v-6QU.woff2) 39.4KB, 52ms
- <https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/font-icons/css/fontello.css> 7.22KB, 237ms
- <https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/font-icons/font/fontello.woff2?99525028> 112KB, 166ms

Low

**Avoid an excessive DOM size** TBT

255 elements

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows.

STATISTIC	ELEMENT	VALUE
Total DOM Elements		255
Maximum DOM Depth	Technology Access Program <span class="elementor-button-text">	19
Maximum Child Elements	body.home <body data-rsssl="1" class="home page-template-default page page-id-5002 wp-custom-logo frontpage skin..." data-elementor-device-mode="desktop">	39

Low

**Avoid enormous network payloads** LCP

Total size was 1.09MB

Large network payloads cost users real money and are highly correlated with long load times.

URL	TRANSFER SIZE
<a href="https://www.csgenetics.com/wp-content/uploads/2023/11/home_image_3840x2160_HF-scaled.jpg">https://www.csgenetics.com/wp-content/uploads/2023/11/home_image_3840x2160_HF-scaled.jpg</a>	183KB
<a href="https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/font-icons/font/fontello.woff2?99525028">https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/font-icons/font/fontello.woff2?99525028</a>	112KB
<a href="https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/_plugins.css">https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/_plugins.css</a>	99KB
<a href="https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/_responsive.css">https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/_responsive.css</a>	76.4KB
<a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/js/_scripts.js">https://www.csgenetics.com/wp-content/plugins/trx_addons/js/_scripts.js</a>	74.4KB
<a href="https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/style.css">https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/style.css</a>	66.4KB
<a href="https://www.csgenetics.com/wp-content/uploads/elementor/css/custom-pro-frontend.min.css?ver=1699874662">https://www.csgenetics.com/wp-content/uploads/elementor/css/custom-pro-frontend.min.css?ver=1699874662</a>	42.0KB
<a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/css/_styles.css">https://www.csgenetics.com/wp-content/plugins/trx_addons/css/_styles.css</a>	40.1KB
<a href="https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2_v-6QU.woff2">https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2_v-6QU.woff2</a>	39.4KB
<a href="https://www.csgenetics.com/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.17">https://www.csgenetics.com/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.17</a>	38.2KB

Low

**Reduce JavaScript execution time** TBT

185ms spent executing JavaScript

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this.

URL	TOTAL CPU TIME	SCRIPT EVALUATION	SCRIPT PARSE
<a href="https://www.csgenetics.com/">https://www.csgenetics.com/</a>	507ms	14ms	3ms
<a href="https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0">https://www.csgenetics.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.0</a>	282ms	140ms	1ms
Unattributable	236ms	12ms	0ms
<a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js">https://www.csgenetics.com/wp-content/plugins/trx_addons/js/tweenmax/tweenmax.min.js</a>	152ms	12ms	1ms

Low

**Serve images in next-gen formats**

Potential savings of 91.3KB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption.

URL	RESOURCE SIZE	POTENTIAL SAVINGS
<a href="https://www.csgenetics.com/wp-content/uploads/2023/11/home_image_3840x2160_HF-scaled.jpg">https://www.csgenetics.com/wp-content/uploads/2023/11/home_image_3840x2160_HF-scaled.jpg</a>	182KB	91.3KB

Low

**Reduce initial server response time** FCP LCP

Root document took 414ms

Keep the server response time for the main document short because all other requests depend on it.

URL

- <https://www.csgenetics.com/>

TIME SPENT

414ms

Low

**Minify CSS** FCP LCP

Potential savings of 11.2KB

Minifying CSS files can reduce network payload sizes.

URL

- <https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/style.css>
- <https://www.csgenetics.com/wp-content/themes/qwery/skins/default/css/font-icons/css/fontello.css>

TRANSFER SIZE

66.4KB

7.22KB

POTENTIAL SAVINGS

8.96KB

2.28KB

Low

**Avoid non-composited animations** CLS

12 animated elements found

Animations which are not composited can be janky and increase CLS.



ELEMENT	NAME
<ul#menu_main &gt;="" ::after<br="" a="" li#menu-item-32715=""></ul#menu_main> <::after> Unsupported CSS Property: visibility	visibility
<ul#menu_main &gt;="" ::after<br="" a="" li#menu-item-34132=""></ul#menu_main> <::after> Unsupported CSS Property: visibility	visibility
<ul#menu_main &gt;="" ::after<br="" a="" li#menu-item-32718=""></ul#menu_main> <::after> Unsupported CSS Property: visibility	visibility
<ul#menu_main &gt;="" ::after<br="" a="" li#menu-item-32719=""></ul#menu_main> <::after> Unsupported CSS Property: visibility	visibility
csgenetics <a href="#" class="sc_layouts_logo sc_layouts_logo_default trx_addons_inline_1883506941"> Unsupported CSS Property: visibility	visibility
<ul#menu_main &gt;="" ::after<br="" a="" li#menu-item-32716=""></ul#menu_main> <::after> Unsupported CSS Property: visibility	visibility
<ul#menu_main &gt;="" ::after<br="" a="" li#menu-item-32717=""></ul#menu_main> <::after> Unsupported CSS Property: visibility	visibility
Single cell genomics <div class="elementor-element elementor-element-ab196f7 animated-slow animation_type_b..." data-id="ab196f7" data-element_type="widget" data-settings="{&quot;_animation&quot;:&quot;slideDown&quot;;,&quot;_animation_delay&quot;:1100}" data-widget_type="heading.default">  Unsupported CSS Property: visibility	slideDown
made simple <div class="elementor-element elementor-element-b4cd023 animated-slow animation_type_b..." data-id="b4cd023" data-element_type="widget" data-settings="{&quot;_animation&quot;:&quot;slideUp&quot;;,&quot;_animation_delay&quot;:1400}" data-widget_type="heading.default">  Unsupported CSS Property: visibility	slideUp
Free Your discoveries. <div class="elementor-element elementor-element-4ef4dd7 animated-slow animation_type_b..." data-id="4ef4dd7" data-element_type="widget" data-settings="{&quot;_animation&quot;:&quot;slideUp&quot;;,&quot;_animation_delay&quot;:1700}" data-widget_type="text-editor.default">  Unsupported CSS Property: visibility	slideUp
Technology Access Program <a class="elementor-button elementor-button-link elementor-size-sm" href="https://mailchi.mp/csgenetics/eshg-sign-ups" target="_blank"> Unsupported CSS Property: visibility	visibility
Technology Access Program <div class="elementor-element elementor-element-666a9e3 animation_type_block sc_fly_st..." data-id="666a9e3" data-element_type="widget" data-settings="{&quot;_animation&quot;:&quot;slideUp&quot;;,&quot;_animation_delay&quot;:2300}" data-widget_type="button.default">  Unsupported CSS Property: visibility	slideUp

Low

Minify JavaScript FCP LCP

Potential savings of 14.7KB

Minifying JavaScript files can reduce payload sizes and script parse time.

URL	TRANSFER SIZE	POTENTIAL SAVINGS
<a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/js/_scripts.js">https://www.csgenetics.com/wp-content/plugins/trx_addons/js/_scripts.js</a>	74.4KB	8.56KB
<a href="https://www.csgenetics.com/wp-content/themes/qwery/js/_scripts.js">https://www.csgenetics.com/wp-content/themes/qwery/js/_scripts.js</a>	28.8KB	3.64KB
<a href="https://www.csgenetics.com/wp-content/themes/qwery/skins/default/skin.js">https://www.csgenetics.com/wp-content/themes/qwery/skins/default/skin.js</a>	8.57KB	2.54KB

**Low** **Reduce unused JavaScript** LCP Potential savings of 87.6KB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.

URL	TRANSFER SIZE	POTENTIAL SAVINGS
<a href="https://www.csgenetics.com/wp-content/plugins/trx_addons/js/_scripts.js">https://www.csgenetics.com/wp-content/plugins/trx_addons/js/_scripts.js</a>	74.4KB	56.4KB
<a href="https://www.csgenetics.com/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.17">https://www.csgenetics.com/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.17</a>	38.2KB	31.2KB

**N/A** **Largest Contentful Paint element** LCP 3,360 ms

This is the largest contentful element painted within the viewport.

**ELEMENT**

Single cell genomics  
`<h2 class="elementor-heading-title elementor-size-default">`

PHASE	% OF LCP	TIMING
TTFB	18%	601ms
Load Delay	0%	0ms
Load Time	0%	0ms
Render Delay	82%	2.8s

**N/A** **Avoid serving legacy JavaScript to modern browsers** TBT Potential savings of 286B

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers.

URL	POTENTIAL SAVINGS
<a href="https://www.csgenetics.com/wp-content/plugins/wp-gdpr-compliance/Assets/js/front.min.js?ver=1695224897">https://www.csgenetics.com/wp-content/plugins/wp-gdpr-compliance/Assets/js/front.min.js?ver=1695224897</a>	174B
Line:1 Column:1766 <code>@babel/plugin-transform-classes</code>	
Line:1 Column:26938 <code>@babel/plugin-transform-regenerator</code>	
<a href="https://www.csgenetics.com/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js?ver=3.1.2">https://www.csgenetics.com/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js?ver=3.1.2</a>	58B
Line:0 Column:452 <code>@babel/plugin-transform-classes</code>	
<a href="https://www.csgenetics.com/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.17">https://www.csgenetics.com/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.17</a>	54B
Line:11 Column:12531 <code>@babel/plugin-transform-classes</code>	

N/A

**Avoid large layout shifts** CLS

3 elements found

These DOM elements contribute most to the CLS of the page.

ELEMENT	CLS CONTRIBUTION
Instagram <pre>&lt;a target="_blank" href="https://www.instagram.com/csgenetics/" class="social_item social_item_style_icons sc_icon_type_icons social_item_type_ic..."&gt;</pre>	0.00
LinkedIn <pre>&lt;a target="_blank" href="https://www.linkedin.com/company/cs-genetics-limited/" class="social_item social_item_style_icons sc_icon_type_icons social_item_type_ic..."&gt;</pre>	0.00
E-mail <pre>&lt;a target="_blank" href="mailto:info@csgenetics.com" class="social_item social_item_style_icons sc_icon_type_icons social_item_type_ic..."&gt;</pre>	0.00

N/A

**Minimize main-thread work** TBT

Main-thread busy for 1.4s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this.

CATEGORY	TIME SPENT
Other	611ms
Style & Layout	369ms
Script Evaluation	268ms
Parse HTML & CSS	104ms
Script Parsing & Compilation	29ms
Rendering	26ms

N/A

**Reduce the impact of third-party code** TBT

Total size was 41.7KB

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading.

THIRD-PARTY	TRANSFER SIZE	MAIN-THREAD BLOCKING TIME
<b>GOOGLE FONTS</b>	41.7KB	0ms
<ul style="list-style-type: none"> <li><a href="https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2_v-6QU.woff2">https://fonts.gstatic.com/s/lexend/v19/wlpwgvFAVdoq2_v-6QU.woff2</a></li> </ul>	39.4KB	0ms

N/A

**User Timing marks and measures**

No user timings and/or marks found.