




<https://mipdiscovery.com/>


Report generated on Mar 13, 2024



15 Failed



7 Warnings



51 Passed



Common SEO issues

6 Failed

1 Warnings

18 Passed

✔ Meta Title Test

This webpage is using a title tag.

Text: We design recognition. - MIP Discovery

Length: 38 characters

✔ Meta Description Test

This webpage is using a meta description tag.

Text: Cell and gene therapies offer exciting new possibilities for curing diseases and improving quality of life.

Viral vectors are critical components for

Length: 150 characters



Google Search Results Preview Test

Desktop version

<https://mipdiscovery.com/>

We design recognition. - MIP Discovery

Cell and gene therapies offer exciting new possibilities for curing diseases and improving quality of life. Viral vectors are critical components for

Mobile version

<https://mipdiscovery.com/>

We design recognition. - MIP Discovery

Cell and gene therapies offer exciting new possibilities for curing diseases and improving quality of life. Viral vectors are...



✔ Social Media Meta Tags Test

This webpage is using social media meta tags.

Open Graph Meta Tags

og:locale	en_US
og:type	website
og:title	We design recognition. - MIP Discovery
og:description	Cell and gene therapies offer exciting new possibilities for curing diseases and improving quality of life. Viral vectors are critical components for
og:url	https://mipdiscovery.com/
og:site_name	MIP Discovery
og:updated_time	2024-03-12T13:28:31+00:00

Twitter Card Meta Tags

twitter:card	summary_large_image
twitter:title	We design recognition. - MIP Discovery
twitter:description	Cell and gene therapies offer exciting new possibilities for curing diseases and improving quality of life. Viral vectors are critical components for
twitter:label1	Written by
twitter:data1	celf_admin
twitter:label2	Time to read
twitter:data2	1 minute

⊙ Most Common Keywords Test

There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

11	affinity	8	cell	8	gene	8	technology	8	reagents
----	----------	---	------	---	------	---	------------	---	----------



✘ Keywords Usage Test

The most common keywords of this webpage are not distributed across the important HTML tags! Primary keywords should appear in title tag, meta description and heading tags to help Search Engines to properly identify the topic of this webpage.

Keyword	Title tag	Meta description	Headings
affinity	✘	✘	✓
cell	✘	✓	✘
gene	✘	✓	✘
technology	✘	✘	✘
reagents	✘	✘	✓

🕒 Keywords Cloud Test





⦿ Related Keywords Test

This URL is currently ranked in the top 20 organic Google listings for the search terms below:

- [mip company](#)
- [mip](#)
- [360dx](#)
- [m.i.p.](#)
- [mip co](#)
- [mip company](#)
- [mip testing](#)
- [mip workshop](#)
- [discovery ltd](#)
- [mips tv](#)

⦿ Competitor Domains Test

This domain has an Authority Score of **18/100** while the **Average Authority Score** of top 100 sites is **89.5**. Some of the most relevant competitors for this domain are listed below:

✔ Heading Tags Test

This webpage contains headings tags.

H1 tags

We design recognition.

H2 tags

We design recognition.

Why synthetic affinity reagents?

Recognition by design

Scalable Manufacture

Ethically Produced

Trusted by Industry Innovators

Discover More



✘ Robots.txt Test

This website lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load time on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one. Read more about the [robots.txt file](#), and how to create one for your site.

How to pass this test?

In order to pass this test you must create and properly install a **robots.txt** file.

For this, you can use any program that produces a text file or you can use an online tool (Google Webmaster Tools has this feature).

Remember to use all lower case for the filename: **robots.txt**, not **ROBOTS.TXT**.

A simple **robots.txt** file looks like this:

```
User-agent: *
Disallow: /cgi-bin/
Disallow: /images/
Disallow: /pages/thankyou.html
```

This would block all search engine robots from visiting "cgi-bin" and "images" directories and the page "http://www.yoursite.com/pages/thankyou.html"

TIPS:

- You need a separate **Disallow** line for every URL prefix you want to exclude
- You may not have blank lines in a record because they are used to delimit multiple records
- Notice that before the **Disallow** command, you have the command: **User-agent: ***. The **User-agent:** part specifies which robot you want to block. Major known crawlers are: Googlebot (Google), Googlebot-Image (Google Image Search), Baiduspider (Baidu), Bingbot (Bing)
- One important thing to know if you are creating your own **robots.txt** file is that although the wildcard (*) is used in the **User-agent** line (meaning "any robot"), it is not allowed in the **Disallow** line.
- Regular expressions are not supported in either the **User-agent** or **Disallow** lines

Once you have your **robots.txt** file, you can upload it in the top-level directory of your web server. After that, make sure you set the permissions on the file so that visitors (like search engines) can read it.

✔ Sitemap Test

This website has a sitemap file.

<https://mipdiscovery.com/sitemap.xml>

https://mipdiscovery.com/sitemap_index.xml

✔ SEO Friendly URL Test

All links from this webpage are SEO friendly.



✘ Image Alt Test

This webpage is using "img" tags with empty or missing "alt" attribute!

How to pass this test?

In order to pass this test you must add an **alt** attribute to every **** tag used into your webpage.

An image with an alternate text specified is inserted using the following HTML line:

```

```

Remember that the point of alt text is to provide the same functional information that a visual user would see. Search engines, users who disabled images in their browsers and other agents who are unable to see the images on your webpage can read the alt attributes assigned to the image since they cannot view it.

Learn more about [optimizing images for SEO](#).

✘ Responsive Image Test

Not all images in this webpage are properly sized! This webpage is serving images that are larger than needed for the size of the user's viewport.

How to pass this test?

This issue can be fixed by using responsive images, which relies on creating multiple versions of each image, that are served via CSS media queries depending on the user's viewport dimensions.

Another solution can be to use vector-based image formats like SVG. SVG images scale appropriately to any size, without wasting unnecessary bandwidth. Also consider image CDNs that can help serve responsive images.

✘ Image Aspect Ratio Test

Not all image display dimensions match the natural aspect ratio! Fix aspect ratio issues to avoid distorted images on this website!

How to pass this test?

There are two common causes for an incorrect image aspect ratio:

- An image is set to explicit width and height values that differ from the source image's dimensions.
- An image is set to a width and height as a percentage of a variably-sized container.

To help avoid these issues, consider using an image CDN, to help automate the process of creating different size versions of your image.

Also check any CSS that can affects the image's aspect ratio - if you're having trouble finding the CSS that's causing the incorrect aspect ratio, Chrome DevTools can show you the CSS declarations that affect a given image.

Finally, check the image's width and height attributes in the HTML. When possible, it's good practice to specify each image's width and height attributes in your HTML so that the browser can allocate space for the image. This approach helps to ensure that content below the image doesn't shift once the image is loaded.



✖ Inline CSS Test

This webpage is using inline CSS styles!

How to pass this test?

It is a good practice to move all the inline CSS rules into an external file in order to make your page "lighter" in weight and decrease the code to text ratio.

- check the HTML code of your page and identify all style attributes
- for each style attribute found you must properly move all declarations in the external CSS file and remove the style attribute

For example:

```
<!--this HTML code with inline CSS rule:-->
<p style="color:red; font-size: 12px">some text here</p>

<!--would became:-->
<p>some text here</p>

<!--and the rule added into your CSS file:-->
p{color:red; font-size: 12px}
```

✔ Deprecated HTML Tags Test

This webpage does not use HTML deprecated tags.

✔ Google Analytics Test

This webpage is using Google Analytics.

✔ Favicon Test

 This website appears to have a favicon.



⦿ Backlinks Test

This domain has an Authority Score of **18/100** while the **Average Authority Score** of top 100 sites is **89.5**. Also, this domain has **1,230 backlinks** from **179 referring domains** and some recently found backlinks are listed below:

- MAR 10, 2024 <https://www.startupmag.co.uk/startups/biotech/>
- MAR 8, 2024 <https://www.bionity.com/fr/entreprises/1044000/mip-discovery-limited.html>
- MAR 8, 2024 <https://www.bionity.com/es/empresas/1044000/mip-discovery-limited.html>
- MAR 7, 2024 <https://www.bionity.com/de/firmen/1044000/mip-discovery-limited.html>
- MAR 7, 2024 <https://www.baileyfisher.com/news/mip-discovery-closes-ps7m-series>
- MAR 6, 2024 <http://www.lerocel.com/discovery-abuse-k.html>
- MAR 6, 2024 <https://acsairways.com/discovery-abuse-k.html>
- MAR 6, 2024 <https://www.bionity.com/en/companies/1044000/mip-discovery-limited.html>
- MAR 4, 2024 <https://webtoady.com/business/england/mip-discovery/>
- MAR 2, 2024 <https://www.startupmag.co.uk/funding/mip-discovery-raised-7000000/>

✔ JS Error Test

There are no severe JavaScript errors on this webpage.

✔ Console Errors Test

This webpage doesn't have any warnings or errors caught by the Chrome DevTools Console.

✔ Charset Declaration Test

This webpage has a character encoding declaration.

```
Content-Type: text/html; charset=UTF-8
```

✔ Social Media Test

This webpage is connected successfully with social media using:

[Facebook](#) [Twitter](#)

Speed optimizations

7 Failed

4 Warnings

14 Passed

✓ HTML Page Size Test

The size of this webpage's HTML is **22.99 Kb** and is under the average webpage's HTML size of **33 Kb**. Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.

✓ DOM Size Test

The Document Object Model (DOM) of this webpage has **817 nodes** which is less than the recommended value of **1,500 nodes**.

✓ HTML Compression/GZIP Test

This webpage is successfully compressed using **gzip compression** on your code. The HTML code is compressed from **144.06 Kb** to **22.99 Kb (84% size savings)**. This helps ensure a faster loading webpage and improved user experience.

✓ Site Loading Speed Test

The loading time of this webpage (measured from N. Virginia, US) is around **3.81 seconds** and this is under the average loading speed which is **5 seconds**.

✓ JS Execution Time Test

The JavaScript code used by this webpage is executed in less than **2 seconds**.



✖ Page Objects Test

This webpage is using more than 20 http requests, which can slow down page loading and negatively impact user experience!

Content size by content type

Content type	Percent	Size
Image	60.2 %	1.36 Mb
Javascript	17.0 %	392.43 Kb
Font	11.5 %	266.37 Kb
Css	10.1 %	234.52 Kb
Html	1.0 %	22.54 Kb
Other	0.2 %	4.33 Kb
TOTAL	100%	2.26 Mb

Requests by content type

Content type	Percent	Requests
Javascript	53.5 %	46
Css	25.6 %	22
Image	10.5 %	9
Font	5.8 %	5
Other	3.5 %	3
Html	1.2 %	1
TOTAL	100%	86

Content size by domain

Domain	Percent	Size
mipdiscovery.com	72.4 %	1.64 Mb
c0.wp.com	10.3 %	238.61 Kb
use.typekit.net	6.4 %	148.66 Kb



cdn.jsdelivr.net	5.7 %	131.76 Kb
googletagmanager.com	4.1 %	95.44 Kb
snap.linkedin.com	0.7 %	17.04 Kb
stats.wp.com	0.3 %	6.98 Kb
px.ads.linkedin.com	0.0 %	308 B
pixel.wp.com	0.0 %	177 B
p.typekit.net	0.0 %	172 B
TOTAL	100%	2.26 Mb

Requests by domain

Domain	Percent	Requests
mipdiscovery.com	43.0 %	37
c0.wp.com	39.5 %	34
use.typekit.net	5.8 %	5
cdn.jsdelivr.net	2.3 %	2
stats.wp.com	2.3 %	2
px.ads.linkedin.com	2.3 %	2
googletagmanager.com	1.2 %	1
p.typekit.net	1.2 %	1
snap.linkedin.com	1.2 %	1
pixel.wp.com	1.2 %	1
TOTAL	100%	86

✔ Page Cache Test (Server Side Caching)

This webpage is using a caching mechanism. [Caching](#) helps speed page loading times as well as reduces server load.



✓ Flash Test

This webpage does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.

! CDN Usage Test

This webpage is not serving all resources (images, javascript and css) from CDNs!

How to pass this test?

In order to pass this test you are advised to use a CDN service. A Content Delivery Network (CDN) is a globally distributed network of web servers that allows a quick transfer of assets and provides high availability and high performance. The primary benefits of using a CDN service are:

- Improving website loading times
- Reducing bandwidth costs
- Increasing content availability and redundancy
- Improving website security

✗ Modern Image Format Test

This webpage is not serving images in a modern format! Image formats like [JPEG 2000](#), [JPEG XR](#), and [WebP](#) often provide better compression than PNG or JPEG, which means faster downloads and less data consumption.

How to pass this test?

In order to pass this test, convert all the images listed in this report into a modern image format such as [JPEG 2000](#), [JPEG XR](#) or [WebP](#).

It's important to understand that the modern image formats, like WebP, are not yet widely supported across all devices and browsers. You can find [here](#) a full list of supported browsers and devices for the WebP format.

If your target audience falls within one of the unsupported browser/device categories, you should serve optimized fall-back images in the original JPEG/PNG format so that your users don't see a broken or badly designed page:

```
<!--Before:-->


<!--After:-->
<picture>
  <source type="image/webp" srcset="image.webp">
  
</picture>
```

The browser uses the first listed source that's in a format it supports. If the browser does not support any of the formats listed in the "source" tags, it falls back to loading the image specified by the "img" tag.



✘ Image Metadata Test

This webpage is using images with large metadata (**more than 16% of the image size**)! Stripping out unnecessary metadata tags can improve not only the loading time but also the security and privacy of a webpage.

How to pass this test?

In order to pass this test, you have to remove the unnecessary image metadata (additional information which is stored along with the image). There are literally hundreds of metadata tags, but most of them (like camera model and settings, exposure, creation date, etc) are useless to site visitors and isn't required by browsers to render images. However, a few metadata tags can still be useful and may help Search Engine bots to better understand your images:

- **GPS tags** - These define where the image was taken providing location information that might help with local SEO. If you have a location-based business, tag your image with the GPS coordinates of your premises.
- **Author/Owner Name** - Add your brand name (or your own name) here because it may influence the image being shown when someone searches your brand in Google Images.
- **Image Description** - Just like an ALT description, the image description metadata tag can provide information pertaining to what the content of the image is about.

✘ Image Caching Test

This website is not using cache headers for images. Setting cache headers can help speed up the serving of a webpage for returning users. Learn more about [how to add expires headers to your images](#).

How to pass this test?

In order to reduce the number of HTTP requests, you can use the HTTP Expires header to set an expiration time for your images or any other content type. You can add the following lines into your `.htaccess` file:

```
<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresByType image/jpg "access plus 1 month"
  ExpiresByType image/jpeg "access plus 1 month"
  ExpiresByType image/gif "access plus 1 month"
  ExpiresByType image/png "access plus 1 month"
</IfModule>
```



✘ JavaScript Caching Test

This webpage is not using cache headers for JavaScript resources! Setting cache headers can help to speed up the webpage for returning users.

How to pass this test?

In order to reduce the number of HTTP requests, you can use the HTTP Expires header to set an expiration time for your JavaScript resources or any other content type. You can add the following lines into your `.htaccess` file:

```
<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresByType text/javascript "access plus 1 month"
  ExpiresByType application/javascript "access plus 1 month"
</IfModule>
```

✘ CSS Caching Test

This webpage is not using cache headers for CSS resources! Setting cache headers can help to speed up the webpage for returning users.

How to pass this test?

In order to reduce the number of HTTP requests, you can use the HTTP Expires header to set an expiration time for your CSS resources or any other content type. You can add the following lines into your `.htaccess` file:

```
<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresByType text/css "access plus 1 month"
</IfModule>
```

✔ JavaScript Minification Test

All JavaScript files used by this webpage are minified.

✔ CSS Minification Test

All CSS resources used by this webpage are minified.



✘ Render Blocking Resources Test

This webpage is using render blocking resources! Eliminating render-blocking resources can help this webpage to load significantly faster and will improve the website experience for your visitors.

How to pass this test?

In order to pass this test, you have to reduce the impact of render-blocking resources.

First, you have to identify what's critical and what's not. You can use the [Chrome DevTools \(Coverage tab\)](#) to identify non-critical CSS and JS.

Once you've identified critical code, you can try the below methods to eliminate render-blocking resources:

- inline critical JS within a script tag in your HTML document
- inline critical CSS required for the first paint inside a style block in the head of the HTML document
- move the script and link tags at the end of the HTML document
- add async or defer attributes to non-critical script or link tags
- split CSS styles into different files, organized by media query
- compress and minify your text-based resources

✔ Nested Tables Test

This webpage is not using nested tables. This speeds up page loading time and optimizes the user experience.

✔ Frameset Test

This webpage does not use frames.

✔ Doctype Test

This webpage has a doctype declaration.

```
<!DOCTYPE html>
```

✔ URL Redirects Test

This URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).



! Largest Contentful Paint Test

The Largest Contentful Paint duration of this webpage is 3.37 seconds. To provide a good user experience, [Google recommends](#) that sites should strive to have Largest Contentful Paint of 2.5 seconds or less.

Largest Contentful Paint element within the viewport:

Text: *We design recognition. MIP Discovery is streamlining the critical challenges fe...*

Html: `<div class="slide-bg gradient-overlay " style="background:url(https://mipdiscovery.com/app/upload...">`

How to pass this test?

The reason Google chose LCP as a relevant SEO metric is that it directly influences user experience. The loading of the biggest element on a page determines how quickly the user will be able to view its contents and interact with it. For most websites, you can improve the Largest Contentful Paint by sticking to a few guiding principles:

- Try to reduce the server response time.
- Eliminate as many render-blocking resources (CSS and JavaScript) as possible.
- Optimize the loading times for resources on the webpage.

✓ Cumulative Layout Shift Test

The CLS score of this webpage is 0.0019. To provide a good user experience, [Google recommends](#) that sites should strive to have a CLS score of 0.1 or less.

DOM element which contributes the most to CLS score:

Html: `<figure class="wp-block-image size-full is-resized position-absol...">`

Score: 0.0015

Server and security

2 Failed

1 Warnings

7 Passed

✓ URL Canonicalization Test

<https://mipdiscovery.com/> and <https://www.mipdiscovery.com/> resolve to the same URL.



! SSL Checker and HTTPS Test

This website is successfully using the HTTPS protocol, but the SSL Certificate will expire in less than a month! Having an up-to-date certificate is an important security practice to ensure that your website is safe and provides trust, and any communication between the user's browser and your website (such as passwords, credit cards, or forms) is encrypted and private.

- ✓ The certificate is not used before the activation date.
- ! The certificate will expire in less than a month!
- ✓ The hostname "mipdiscovery.com" is correctly listed in the certificate.
- ✓ The certificate should be trusted by all major web browsers.
- ✓ The certificate was not revoked.
- ✓ The certificate was signed with a secure hash.

Certificate Chain:

Server certificate	
Common Name	mipdiscovery.com
Subject Alternative Names (SANs)	mipdiscovery.com, www.mipdiscovery.com
Not Valid Before	Wed, January 10th 2024, 3:42:22 pm (UTC)
Not Valid After	Tue, April 9th 2024, 3:42:21 pm (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	R3

Intermediate certificate	
Common Name	R3
Organization	Let's Encrypt
Location	US
Not Valid Before	Fri, September 4th 2020, 12:00:00 am (UTC)
Not Valid After	Mon, September 15th 2025, 4:00:00 pm (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	ISRG Root X1

Root certificate	
------------------	--



Common Name	ISRG Root X1
Organization	Internet Security Research Group
Location	US
Not Valid Before	Thu, June 4th 2015, 11:04:38 am (UTC)
Not Valid After	Mon, June 4th 2035, 11:04:38 am (UTC)
Signature Algorithm	sha256WithRsaEncryption
Issuer	ISRG Root X1

✓ Mixed Content Test (HTTP over HTTPS)

This webpage does not use mixed content - both the initial HTML and all other resources are loaded over HTTPS.

✓ HTTP2 Test

This webpage is using the HTTP/2 protocol.

✓ Safe Browsing Test

This website is not currently listed as suspicious (no malware or phishing activity found).

✓ Server Signature Test

The server signature is off for this webpage.

✓ Directory Browsing Test

Directory browsing is disabled for this website.



✘ Plaintext Emails Test

We've found 1 email addresses in your page code! We advise you [to protect email links](#) in a way that hides them from the spam harvesters.

How to pass this test?

In order to pass this test you must make your email addresses invisible to email spiders. Note that the best option is to replace your entire contact mechanism with a contact form and using the POST method while submitting the form.

Other solutions are listed below:

- replace the at (@) and dot (.) characters
- replace text with images
- use email obfuscators
- hide email addresses using JavaScript or CSS trick

✔ Unsafe Cross-Origin Links Test

This webpage is not using `target="_blank"` links without `rel="noopener"` or `rel="noreferrer"` attribute.

Mobile usability

0 Failed

0 Warnings

3 Passed

✔ Meta Viewport Test

This webpage is using a viewport meta tag.

```
<meta name="viewport" content="width=device-width, initial-scale=1" />
```

✔ Media Query Responsive Test

This webpage is using CSS media queries, which is the base for responsive design functionalities.



Mobile Snapshot Test



Advanced SEO

0 Failed

1 Warnings

9 Passed

✔ Structured Data Test

This webpage is using structured data.

✔ Custom 404 Error Page Test

This website is using a custom 404 error page. We recommend to have a custom 404 error page in order to improve the website's user experience by letting users know that only a specific page is missing/broken (and not the entire site), providing them helpful links, the opportunity to report bugs, and potentially [track the source of broken links](#).

✔ Noindex Tag Test

This webpage does not use the noindex meta tag. This means that it can be indexed by search engines.



✔ Canonical Tag Test

This webpage is using the canonical link tag. This tag specifies that the URL: <https://mipdiscovery.com/> is preferred to be used in search results. Please ensure that this specification is correct, as canonical tags are often hard-coded and may not always reflect the latest changes in a site's URL structure.

```
<link href="https://mipdiscovery.com/" rel="canonical"/>
```

⊙ Nofollow Tag Test

This webpage does not use the nofollow meta tag. This means that search engines will crawl all links from this webpage.

⊙ Disallow Directive Test

This website lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one.

✔ Meta Refresh Test

This webpage is not using a meta refresh tag.

✔ SPF Records Test

This DNS server is using an SPF record.

```
v=spf1 include:spf.mailjet.com include:spf.protection.outlook.com -all
```

⚠ Ads.txt Validation Test

This website doesn't use an ads.txt file! Ads.txt is a text file that contains a list of Authorized Digital Sellers. The purpose of ads.txt files is to give advertisers and advertising networks the ability to verify who is allowed to sell advertising on your website.